



Cresta VA

Lubricantes para compresores a gas

Description

CASTROL CRESTA VA son lubricantes compuestos de cilindros para compresores de tipo rotativo empleo con gases húmedos de hidrocarburos.

Application

CASTROL CRESTA VA se formuló inicialmente para la lubricación de cilindros y rodamientos de motores a gas antiguos. Es una mezcla de compuestos grasos (de ahí la denominación compuestos). El agente compuesto proporciona excelentes propiedades de lubricación, para soportar cargas y la presencia de mezclas de hidrocarburos.

The above figures are typical of those obtained with normal production tolerance and do not constitute a specification.

Typical Physical Characteristics

	ISO 150	ISO 220	ISO 320	ISO 460	ISO 680
ASPECTO	LIQUIDO VISCOSOSO MARRON	LIQUIDO VISCOSOSO MARRON	LIQUIDO VISCOSOSO MARRON	LIQUIDO VISCOSOSO MARRON	LIQUIDO VISCOSOSO MARRON
PUNTO DE INFLAMACION, ° C	243	255	261	267	267
VISCOSIDAD CINEMATICA @ 150 40 °C		220	320	460	680
VISCOSIDAD CINEMATICA @ 13.6 100 °C		17.7	23.2	28.7	35.2
PUNTO DE FLUIDEZ, °C	-9	-9	-6	-3	-3
INDICE DE VISCOSIDAD	83	86	86	88	83
DENSIDAD @ 29.5 °C	0.914	0,915	0,916	0,917	0,921

Care and Handling

Evitar contacto repetido y prolongado con la piel.

Cresta VA
25 Jan 2013

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Australia Level 8 (QV1 Building), 250 St. Georges Terrace, Perth WA 6000, Australia. Customer Service Number +61 (0)8 9420 1854

Dubai City Tower 2, 6th Floor PO BOX 1699, Sheikh Zayed Road, Dubai, U.A.E. Customer Service Number +971 4 3079304

Norway Drammensveien 167, Box 153 Skoyen, 0212 Oslo, Norway. Customer Service Number +47 22 51 12 43

Singapore Keppel Bay Towers, 1 Harbourfront Avenue 02-01, Singapore 098632, Singapore. Customer Service Number +65 6371 8478

United Kingdom The Innovation Centre, Aberdeen, AB23 8GX, UK. Customer Service Number +44 (0)1224 258 980

USA 501 Westlake Park Boulevard, Houston, Texas 77079, USA. Customer Service Number +1 800 339-7157

www.castrol.com/offshore

Page 2 of 2

